



***REFERENCE  
MATERIALS***  
**NIH DESIGN POLICY  
AND GUIDELINES**





Office of Research Services



# ***REFERENCE MATERIALS***

## **NIH DESIGN POLICY AND GUIDELINES**

### **Administration**

**Stephan A. Ficca**

Associate Director for Research Services

**F. Anthony Clifford**

Acting Director for Division of Engineering Services

**John J. Pallas, P.E.**

Past Assistant Director for Design and Construction Branch  
Division of Engineering Services

**George B. Williams, P.E.**

Acting Assistant Director for Design and Construction Branch  
Division of Engineering Services

**Rassa Davoodpour**

Principal Mechanical Engineer, Project Director,  
Design and Construction Branch,  
Division of Engineering Services

---



# *Reference Materials*

*NIH Design Policy and Guidelines*

# ***Preface***

The National Institutes of Health (NIH), an agency of the United States federal government, is dedicated to advancements in biomedical research to further knowledge about the cure and prevention of human disease. The organizational components of NIH are referred to as Institutes, Centers or Divisions (ICD). These ICDs conduct their biomedical research programs primarily at the NIH Bethesda, Maryland campus. The Office of Management has within its organization divisions that provide expertise in planning, design, architecture, engineering, construction, maintenance, safety, security, procurement, logistics, and contracts for the maintenance, renovations, and construction of new facilities. The Design and Construction Branch (DCB) of the Division of Engineering Services (DES) is responsible for the design and construction of facilities at the NIH.

The DES, along with selected consultants, was tasked with the responsibility of reviewing existing biomedical facility guidelines and related studies and creating a new set of guidelines for the NIH which would reflect the latest developments in facility planning and operation technology. Within the Office of Director, NIH, the Office of Management (OM) is the organization component that handles planning, architectural/engineering design, construction, maintenance, safety, security, procurement, logistics, and renovations at NIH.

Committees covering the disciplines of architecture, structure, mechanical systems, electrical systems, plumbing, fire protection, controls, civil and environmental matters met over an 8-month period to merge, edit, and create documents from various sources. The primary sources of information were the Generic Technical Criteria document (developed as part of the Program of Requirements for the Clinical Center Complex Renewal Program and formulated by the DES Special Project Office), the original Design Policy and Guidelines (the "Rosebook," developed by the DES Facilities and Planning Branch), and the Design Guidelines (developed by the DES Facilities Planning Office).

In conjunction with these new guidelines, the NIH Architectural/Engineering Checklist and Standard Details have been developed. The NIH Design Policy and Guidelines consists of Text Volumes identified by building type, Data Sheets specific to space or activity functions, Guideplates suggesting functional groupings, and Reference Materials pertinent to the federal biomedical, vivarium, and research hospital facilities. This collective information must be incorporated into the basis of design for all new construction and renovation projects at NIH.



# ***Introduction***

The new NIH Design and Policy Guidelines have been developed to provide minimum criteria to assist architects, planners, and engineers in the process of designing research, vivarium, and clinical center facilities for the NIH. These guidelines establish basic parameters only and are not meant to be restrictive. The NIH recognizes that an essential aspect of the design professional's responsibility is originality and imaginative design.

The NIH requires that all projects be planned and designed using a total environmental approach, including attention to site, structure, massing, circulation, visual harmony, and open areas. The combination of these relationships creates a product that is both functional and aesthetic. The architect/engineer must adapt these criteria to meet needs requested by users or imposed by specific site conditions or functional relationships. It is extremely important to recognize that the user is an essential part of this process and is integral to its success.

It is assumed that the selected architect/engineer and his or her consultants will be professionals knowledgeable in the design of these types of facilities. They will be required to assure that each specific project complies with all established codes, regulations, and current practices. These guidelines do not relieve the architect/engineer of their responsibilities as design professionals. Rather, they are intended to supplement the design process and to consolidate established policies and guidelines developed at the NIH based on operational experience. These guidelines have been devised to assist with establishing greater consistency among the facilities as well as offering the Architect/Engineer assistance with designing to NIH preferences.

The structure of the Design Policy and Guidelines is based on facility type and has been separated into four volumes of information as follows:

- Research Laboratory Design Policy and Guidelines
- Vivarium Design Policy and Guidelines
- Clinical Center Design Policy and Guidelines
- Reference Material for the Design Policy and Guidelines

The Clinical Center Design Policy and Guidelines refer specifically to the NIH Clinical Center research hospital located on the Bethesda campus. This facility is the primary focus of the NIH and houses many laboratory, vivarium and administrative areas in addition to the hospital function.



# ***Use of the Guidelines***

These guidelines define minimum standards by which architects and engineers shall design facilities on the NIH intramural campuses. These campus areas include the Main NIH Campus in Bethesda, the NIH Animal Center in Poolesville, the NIEHS Campus in North Carolina, and the Rocky Mountain Laboratory Campus in Montana. The Research Laboratory and Vivarium volumes are to be used for both new construction and renovation. The Clinical Center volume is to be used only for renovations of the existing Clinical Center.

These volumes of the guidelines have been organized into sections from general to specific requirements as follows:

- A. Introduction
- B. Planning Goals and Objectives
- C. Space Descriptions
- D. Design Criteria
- E. Room Data Sheets
- F. Appendix

Sections A. through D. provide the basic policy and guidelines in text format. Section E., the Room Data Sheets section, provides detailed data requirements for all types of spaces associated with research, vivarium and the Clinical Center. Section F, Appendix, lists the acronyms, units of measure associated with the document, and the committees, contributors, and founders that were instrumental in creating the guidelines.

The final volume collects all relevant reference material or describes reference material required for the design and construction of all types of NIH facilities. Included in this volume is the A/E Checklist, which lists the services that may be required by phase for projects at NIH.

The primary focus of these guidelines is to assist in standardizing the design approach to new and existing facilities on the Bethesda campus. The Clinical Center volume is based solely on the Clinical Center and its existing functions and spaces.

This document is intended to be used by all divisions within the Office of Research Services, primarily the branches and offices of the Division of Engineering Services.



# ***Table of Contents***

<b>Preface</b>	<b>Page No.</b>
Preface	i
Introduction	ii
Use of the Guidelines	iii
<b>A. Introduction</b>	
<b>A.1 Organization</b>	<b>1</b>
<b>A.2 Master Plan</b>	<b>3</b>
<b>A.3 NIH Bethesda Campus</b>	<b>4</b>
A.3.1 Building Identification	4
<b>A.4 Codes and Standards</b>	<b>8</b>
A.4.1 Federal	8
A.4.2 National	8
A.4.3 Local - Montgomery County - Maryland	9
A.4.4. Other	9
A.4.5 References	9
<b>B. Architectural</b>	
<b>B.1 General Requirements</b>	<b>1</b>
B.1.1 Building Design	1
B.1.2 Massing Design	2
B.1.3 Integrated Building Systems Design	2
B.1.4 Floor-to-Floor Height Design	2
B.1.5 Future Considerations	2
B.1.6 Handicapped Accessibility	4
<b>B.2 Exterior Design Criteria</b>	<b>5</b>
B.2.1 Exterior Materials	5
B.2.2 Building Exterior Compositions	6
<b>B.3 Structural Considerations</b>	<b>10</b>
B.3.1 Exterior Walls Faced With Brick	10
B.3.2 Drywall Interior Partitions	10



B.3.3	Anchorage of Lab and Office Shelving and Wall Cabinets	12
B.3.4	Selection and Use of Anchors	13
B.3.5	Lumber for Wood Shelving	14
<b>B.4</b>	<b>Transport Systems</b>	16
B.4.1	Elevators	16
B.4.2	Dumbwaiters	25
<b>B.5</b>	<b>Energy Conservation</b>	27
B.5.1	Solar Shading	27
B.5.2	Climate Factors	27
B.5.3	Standard	27
<b>B.6</b>	<b>Interior Elements</b>	28
B.6.1	Finishes Criteria	28
B.6.2	Floor Coverings	28
B.6.3	Wall Treatments	28
B.6.4	Window Treatments	29
B.6.5	Laboratory Casework	29
B.6.6	Work Stations	30
B.6.7	Interior Finish Requirements for Prefabricated Furniture Panels	30
B.6.8	Vision Panels (Lites) in Doors	31
B.6.9	Interior Signage and Graphics	32
B.6.10	Equipment and Furnishings	32
<b>B.7</b>	<b>Loading Docks and Receiving Elements</b>	36
B.7.1	Loading Docks	36
B.7.2	Access Into and Within Buildings	36
B.7.3	Mail Cluster Box Systems	37
<b>C.</b>	<b>Structural</b>	
<b>C.1</b>	<b>General</b>	1
<b>C.2</b>	<b>Load Requirements</b>	1
C.2.1	Live-Loads	1
C.2.2	Live-Load Reduction	3
C.2.3	Wind Loads	3
C.2.4	Seismic Loads	3
C.2.5	Snow Loads	3
C.2.6	Dead Loads	4
C.2.7	Hanging Loads	4
<b>C.3</b>	<b>General Requirements</b>	5
C.3.1	Future Expansion	5
C.3.2	Geotechnical	5
C.3.4	Alternative Systems	5





C.3.5	Peer Review	6
C.3.6	Parking Garages	6

C.3.7	Loading Docks	6
C.3.8	Vibration	6

## **D. Mechanical**

<b>D.1</b>	<b>Reference Design and Safety Guidelines for the HVAC Designer</b>	<b>1</b>
------------	---------------------------------------------------------------------	----------

<b>D.2</b>	<b>Building Design Considerations</b>	<b>5</b>
------------	---------------------------------------	----------

<b>D.3</b>	<b>Energy Conservation</b>	<b>7</b>
------------	----------------------------	----------

<b>D.4</b>	<b>Heat Reclamation</b>	<b>8</b>
------------	-------------------------	----------

D.4.1	Runaround System	8
D.4.2	Heat Pipe Systems	8
D.4.3	Plate Heat Exchanger	9
D.4.4	Heat Wheels	9
D.4.5	Heat Pump as Heat Exchanger	9
D.4.6	Thermal Storage Systems	9
D.4.7	Motors and Drives	10
D.4.8	Gravity Flow Systems	10

<b>D.5</b>	<b>Systems Economic Analysis</b>	<b>11</b>
------------	----------------------------------	-----------

<b>D.6</b>	<b>Energy Cost</b>	<b>13</b>
------------	--------------------	-----------

<b>D.7</b>	<b>Life Cycle Cost Calculations</b>	<b>14</b>
------------	-------------------------------------	-----------

<b>D.8</b>	<b>Noise and Vibration</b>	<b>15</b>
------------	----------------------------	-----------

D.8.1	Introduction	15
D.8.2	Background Noise	15
D.8.3	Scientific Equipment Noise	17
D.8.4	Background Noise for Open Offices	18
D.8.5	Design Guidelines	19
D.8.6	Noise Control	19
D.8.8	Vibration Isolation	28
D.8.9	Equipment Installation	30
D.8.10	Steel Spring Isolator Specifications	30
D.8.11	Static Deflections	31
D.8.12	Flanking Transmission	31
D.8.13	Piping Systems	31



D.8.14	Noise Control for Electrical Equipment	33
D.8.15	Community Noise	34
<b>D.9</b>	<b>Mechanical Equipment Location and Access</b>	36
<b>D.10</b>	<b>Systems Identification</b>	38
<b>D.11</b>	<b>Piping Systems</b>	40
<b>D.12</b>	<b>Insulation Systems</b>	52
<b>D.13</b>	<b>Testing and Balancing (T &amp; B)</b>	61
<b>D.14</b>	<b>Program Equipment</b>	63
<b>D.15</b>	<b>Motors and Drives</b>	64
D.15.1	Harmonic Voltage and Currents	67
D.15.2	Voltage Sag Concerns	69
D.15.3	Transient Overvoltage Concerns	70
D.15.4	Electromagnetic Interference (EMI) and Radio Frequency Interference (RFI) Concerns	71
<b>D.16</b>	<b>HVAC Systems</b>	74
D.16.1	Types of Systems	74
D.16.2	All-Air Systems	74
D.16.3	Air and Water Systems	78
D.16.4	Unitary Equipment	78
D.16.5	Sound Lining	78
D.16.6	Plenums	79
D.16.7	Indoor Air Quality	79
D.16.8	Air-Handling Systems for Laboratory Buildings	86
D.16.9	Air-Handling Systems for Vivarium Buildings	95
D.16.10	Air-Handling Systems for Hospital Buildings	97
D.16.11	Critical Use Areas	98
D.16.12	Air-Handling Systems for Administration Buildings	99
D.16.13	AHUs and Components	102
D.16.14	Separation of Intakes and Exhaust	122
D.16.15	Exhaust Systems	124
D.16.16	General Exhaust Systems	124
D.16.17	Laboratory Exhaust System	126
D.16.18	Vivarium Exhaust System	128
D.16.19	Special Exhaust Systems	129
D.16.20	Fume Hoods and Biological Safety Cabinets	132
D.16.21	Variable Air Volume Hoods	134
D.16.22	Fume Hood Alarms	136



D.16.23 Post-Installation Testing	138
D.16.24 Machine Room Conditioning	138
D.16.25 Emergency Generators	141
D.16.26 Steam Systems	149
D.16.27 PRV Stations	151
D.16.28 Condensate Return Units	153
D.16.29 Steam Traps	154
D.16.30 Piping Systems	156
D.16.31 Chilled Water Systems	159
D.16.32 Hydronic Heating Systems	160
D.16.33 Secondary Chilled Water/Process Cooling Water Systems	163

## **D.17 Plumbing Systems** 167

D.17.1 Types of Systems	167
D.17.2 Water Supply Systems	171
D.17.3 Sanitary and Waste System	176
D.17.4 Storm Drainage	180
D.17.5 Laboratory Safety Equipment	183
D.17.6 Compressed Gas Systems	184
D.17.7 Vacuum Systems	191
D.17.8 Natural Gas/Fuel Systems	195
D.17.9 Backflow Prevention	196
D.17.10 Pure Water Systems	201
D.17.11 Process Water Systems	205

## **E. Electrical Engineering Systems**

<b>E.1 General Building Guidelines and Design Considerations</b>	<b>1</b>
E.1.1 Calculations	1
E.1.2 Design	1
E.1.3 Design Analysis Narrative	2
E.1.4 Maintenance and Operational Manuals	2
E.1.5 Panel Schedules	2
E.1.6 Reference Design and Safety Guidelines for the Electrical Designer	3

<b>E.2 Energy Conservation</b>	<b>5</b>
E.2.1 Electronic Ballasts	5
E.2.2 Fluorescent Lamps	5
E.2.3 Programmable Lighting Control (PLC)	5
E.2.4 Occupancy Sensors	6
E.2.5 Lighting Control	7
E.2.6 Multilevel Switching	7
E.2.7 Environmental Protection Agency Greenlights Program	7



E.2.8	Day Lighting	7
E.2.9	Exit Signs	7
E.2.10	High-Efficiency Motors	7
E.2.11	Metering	8
E.2.12	Rebates	8
<b>E.3</b>	<b>Economic Analysis</b>	<b>9</b>
<b>E.4</b>	<b>Normal Power</b>	<b>10</b>
E.4.1	New Service Connection	10
E.4.2	Standard Cable Size and Type	10
E.4.3	Distribution Duct System (DDS)	11
E.4.4	Elevation Considerations	12
E.4.5	Grounding	13
E.4.6	Maximum Length Between Manholes	13
E.4.7	Spare Capacity	13
E.4.8	Normal Power	13
E.4.9	Network Transformers	14
E.4.10	Location	15
E.4.11	Removal Route	16
E.4.12	Primary Switch	16
E.4.13	Transformer	16
E.4.14	Network Protector	16
E.4.15	Secondary Switchgear	17
E.4.16	Load Segregation	20
E.4.17	Work Space	20
E.4.18	Voltage	21
E.4.19	Fire Pump	21
E.4.20	Elevators	21
E.4.21	Reliability	24
E.4.22	Testing	24
E.4.23	Wire Color Coding	26
E.4.24	Conduit	27
E.4.25	Surface Metal Raceway	27
E.4.26	Busway	28
E.4.27	Cable Tray	28
E.4.28	Panelboards	29
E.4.29	Electrical Closets	31
E.4.30	Receptacles	32
E.4.31	Demolition	33
E.4.32	Disconnects	33
E.4.33	Electric Heat	33
E.4.34	Nameplates	34
<b>E.5</b>	<b>Emergency Power</b>	<b>35</b>
E.5.1	Indoor Generator	38
E.5.2	Fire Pumps	40



E.5.3	Bypass Breaker	41
E.5.4	Generator Receptacles	41
<b>E.6</b>	<b>Motor Control</b>	<b>43</b>
<b>E.7</b>	<b>Lighting</b>	<b>45</b>
E.7.1	Lamps	46
E.7.2	Fluorescent Lamp Ballast	46
E.7.3	Exit Signs	50
<b>E.8</b>	<b>Power Quality</b>	<b>51</b>
E.8.1	Grounding	51
E.8.2	Harmonics	52
E.8.3	Transients	53
E.8.4	Lighting Protection	53
<b>E.9</b>	<b>Fire Alarm</b>	<b>55</b>
<b>E.10</b>	<b>Local Area Network (LAN)</b>	<b>57</b>
E.10.1	Telecom	60
<b>E.11</b>	<b>Nurse Call</b>	<b>61</b>
<b>E.12</b>	<b>Paging</b>	<b>62</b>
<b>E.13</b>	<b>Television</b>	<b>63</b>
<b>E.14</b>	<b>Security</b>	<b>64</b>
<b>F.</b>	<b>Controls</b>	
<b>F.1</b>	<b>Heating, Ventilation, and Air-Conditioning (HVAC) Controls</b>	<b>1</b>
F.1.1	Distributive Digital Control (DDC) for HVAC Systems	1
F.1.2	DDC Control and Monitoring Capabilities for HVAC Systems	1
F.1.3	Definition of a Stand-Alone Control Unit (SCU) and Modular Building Controller (MBC)	4
F.1.4	Networking Capabilities	5
F.1.5	DDC Network at the NIH	6
F.1.6	Location of SCUs and MBCs	7
F.1.7	Requirements for Specific Control Loops	36
F.1.8	Guidelines for Control Systems	36
F.1.9	HVAC Conventional Control Systems	42



<b>F.2</b>	<b>Animal Holding Areas (AHAs)</b>	43
F.2.1	Capabilities of the DDC Systems	43
F.2.2	Room Humidity	43
F.2.3	Air Changes	44
F.2.4	Room Pressurization	46
F.2.5	Space Temperature	48
F.2.6	Lights	50
F.2.7	Reports	51
<b>F.3</b>	<b>Elevator Controls</b>	52
F.3.1	Swift 5000	52
F.3.2	DC-SCR Drives	52
F.3.3	Installed Swift 5000 and SCR Drives	52
<b>F.4</b>	<b>Power Plant Controls</b>	54
F.4.1	DDC Systems in the Chilled Water Plant	54
F.4.2	DDC Requirements for the Future Chilled Water Plant	54
<b>F.5</b>	<b>Laboratory Equipment Alarm Monitoring</b>	55
F.5.1	Description of Current System	55
F.5.2	Disadvantages of the Current System	55
F.5.3	Guidelines for Future Laboratory Equipment-Monitoring Systems	56
F.5.4	Additional Features and Capabilities	56
<b>F.6</b>	<b>Monitoring Chilled Water Variables</b>	58
F.6.1	Gateways	58
<b>F.7</b>	<b>Control Devices: Standard of Quality</b>	59
F.7.1	Sensors and Transmitters	59
F.7.2	Chilled Water Valves	62
F.7.4	Control Valves: Steam Service	63
F.7.5	Dampers: Standard Duty	63
F.7.6	Dampers: Heavy Duty for Supply and Exhaust Systems	63
F.7.7	Smoke Dampers: Ultra-Low Leakage, UL 555S Classified With Factory Mounted and Tested Actuator	64
F.7.8	Control Tubing	64
F.7.9	Control Wiring	65
F.7.10	Air Compressors	66
<b>G.</b>	<b>Site/Civil</b>	
<b>G.1</b>	<b>Reference Codes and Standards</b>	1
<b>G.2</b>	<b>Preliminary Planning Criteria</b>	2



<b>G.3</b>	<b>Site Design</b>	<b>3</b>
G.3.1	Parking and Paving	3
G.3.2	Delivery and Service Areas	3
G.3.3	Grading	4
G.3.4	Landscaping	4
G.3.5	Utility Service	6
G.3.6	Sediment and Erosion Control	7
G.3.7	Stormwater Management	7
<b>G.4</b>	<b>Community Relations</b>	<b>8</b>
<b>G.5</b>	<b>NIH Trailer Guidelines and Siting Procedures</b>	<b>9</b>
G.5.1	Definitions	9
G.5.2	Site Evaluation	10
G.5.3	Site Selection Procedures	11
G.5.4	Trailer Guidelines and Siting Procedures	12
<b>G.6</b>	<b>Attachments</b>	<b>16</b>
<b>H.</b>	<b>Health and Safety</b>	
<b>H.1</b>	<b>General Health and Safety</b>	<b>1</b>
H.1.1	Federal Regulations and Executive Orders	1
H.1.2	State Regulations	4
H.1.3	Other Federal Agency Regulations/Policies	4
H.1.4	Industry Consensus Standards	6
<b>H.2</b>	<b>Biosafety</b>	<b>8</b>
H.2.1	Federal Regulations	8
H.2.2	State Regulations	8
H.2.3	Industry Standards	8
<b>H.3</b>	<b>Radiation Safety</b>	<b>10</b>
H.3.1	Regulatory Compliance Requirements	10
H.3.2	NRC Guidance	10
H.3.3	State of Maryland Requirements	11
H.3.4	ANSI Standards	11
H.3.5	National Council on Radiation Protection and Measurements (NCRP) Guidance	11
H.3.6	Radiation Safety Regulatory Compliance Documentation	11
H.3.7	Regulatory Compliance Issues	13
<b>H.4</b>	<b>Environmental Management References</b>	<b>14</b>
H.4.1	Federal Regulations	
H.4.2	State of Maryland Regulations	15
H.4.3	Industry Standards	15



<b>H.5</b>	<b>Federal Regulations and Executive Orders</b>	16
H.5.1	Environmental Protection Agency	16
H.5.2	Occupational Safety and Health Administration (OSHA)	16
H.5.3	Department of Transportation (DOT)	16
H.5.4	U.S. Nuclear Regulatory Commission (NRC)	16
H.5.5	U.S. Food and Drug Administration (FDA)	17
<b>H.6</b>	<b>State and Local Requirements</b>	18
H.6.1	Industry Consensus Standards	18
<b>H.7</b>	<b>American National Standards Institute (ANSI)</b>	19
<b>H.8</b>	<b>Fire Safety/Fire Protection</b>	20
H.8.1	General Policy	20
H.8.2	Fire Protection Analysis	21
H.8.3	Types of Construction	23
H.8.4	Fire Resistant Materials and Construction	23
H.8.5	Fire Dampers	24
H.8.6	Interior Finishes	24
H.8.7	Fire Prevention Systems	25
H.8.8	Other Suppression Systems	28
H.8.9	Fire Pumps	28
H.8.10	Fire Department Key Box	28
H.8.11	Fire Hydrants and Fire Department Connections	28
H.8.12	Fire Department Access	30
H.8.13	Fire Protective Signaling Systems	30
H.8.14	Duct Smoke Detection	35
H.8.15	Fire Extinguishers	35
H.8.16	Means of Egress	35
H.8.17	Roof Coverings	36
H.8.18	Roof Deck Assemblies	36
H.8.19	Fire Protection Emergency Power Requirements	36
H.8.20	Elevator Fire Protection	37
H.8.21	Specifications	40

## **I. A/E Checklist of Services**

Project Administration and Management Services	2
Predesign Services	4
Schematic Design Phase Submission 15%	8
Design Development Phase Submission 35%	17
Construction Document Phase Submission 70%	27
Construction Document Phase Submission 95%	39
Construction Document Phase Final Submission 100%	45





## **J. Appendix**

<b>J.1</b>	<b>Acronym List</b>	<b>1</b>
<b>J.2</b>	<b>Units of Measure</b>	<b>4</b>
<b>J.3</b>	<b>Committees, Contributors, Founders</b>	
J.3.1	Architectural - Ad Hoc Committee	6
J.3.2	Structural - Ad Hoc Committee	7
J.3.3	Mechanical - Ad Hoc Committee	8
J.3.4	Electrical - Ad Hoc Committee	9
J.3.5	Plumbing - Ad Hoc Committee	10
J.3.6	Fire Protection - Ad Hoc Committee	11
J.3.7	Controls - Ad Hoc Committee	12
J.3.8	Environmental - Ad Hoc Committee	13
J.3.9	Civil - Ad Hoc Committee	14
J.3.10	Standard Detail - Ad Hoc Committee	15
J.3.11	A/E Checklist - Ad Hoc Committee	16
J.3.12	Style and Format - Ad Hoc Committee	17
J.3.13	Contributors	18
J.3.14	Founders	19

